

IMPACTO® ANTI-IMPACT GLOVE

Utilizing Visco-Elastic Polymer (VEP) Padding Protects the palm, trigger finger and thumb from Impact

- Soft pearl leather palm and back offers dexterity and abrasion protection
- The back has nylon to ensure breathability
- > VEP 1/8" padding in the palm, thumb and index finger to protect from impact and shock
- > Half finger with extended index finger ensures tactile feedback and mobility
- > Pull tabs at the fingertips for easy removal
- > Elastic wrist support with hook and loop closure protects from repetitive strain injuries
- > Great for protection from electric, air and power tools in applications including construction, manufacturing and maintenance
- > Variations:

409-30 - without wrist support

Model 479-31



IMPACTO anti-impact gloves utilize Visco-Elastic Polymer (VEP) padding. VEP has excellent impact absorbing and shock dissipation qualities as well as absorption of higher levels of vibration. VEP is made from polyurethane with additional chemicals that increase its viscosity level. It is effective in redistributing and reducing local pressure on the area padded. VEP will not "compression set", making it extremely durable to stand to rigorous repetitive tasks. IMPACTO offers a large line of VEP padded gloves to suit customized needs.





CE In Conformance with Norms:

EN 388:2003 Protective gloves against mechanical risks

> EN 420:2003+A1:2009 General requirements for gloves

Sizing: Measure the circumference of the hand at the base of fingers.

Washing: Hand wash in cold water and soft detergent. Do not bleach, do not dry by machine, do not dry clean.

Glove	Hand	Circumference
X-Small	6	6" - 7" / 15-18 cm
Small	7	7" - 8" / 18-20 cm
Medium	8	8" - 9" / 20-23 cm
Large	9	9" - 10" / 23-28 cm
X-Large	10	10" - 11" / 28-33 cm
XX-Large	11	11" + / 33 + cm

TRUSTED PROTECTION

ISO 9001:2015





IMPACTO.CA

N. America 888 232 0031 Free phone UK 0800 0280 243 T: 613 966 0062 F: 613 966 0067 PO BOX 524, BELLEVILLE, ON K8N 5B2 impacto@impacto.ca

Distributed by,

