Utilizing Visco-Elastic Polymer (VEP) Padding Protects the palm from Impact, Vibration and Shock

- Made of 4-way stretch polycotton fabric to ensure optimum breathability and comfort
- Contoured VEP 1/8" padding in the palm extended to the wrist joint to offer additional protection
- > Fingerless style leaves fingers open for tactile feedback and mobility
- > Designed to be worn under work glove
- Great for protection from electric, manual and power tools in applications including construction, assembly, manufacturing, maintenance and warehousing
- , Variations.

501-00 - liner pad not extended

501-35 - with pearl leather cover

Model 510-00



IMPACTO anti-impact gloves utilize Visco-Elastic Polymer (VEP) padding. VEP has excellent impact absorbing and shock dissipation qualities as well as absorption of higher levels of vibration. VEP is made from polyurethane with additional chemicals that increase its viscosity level. It is effective in redistributing and reducing local pressure on the area padded. VEP will not "compression set", making it extremely durable to stand to rigorous repetitive tasks. IMPACTO offers a large line of VEP padded gloves to suit customized needs.





In Conformance with Norms: EN 388:2003 Protective gloves against mechanical risks EN 420:2003+A1:2009 General requirements for gloves



Sizing: Measure the circumference of the hand at the base of fingers.

Washing: Hand wash in cold water and soft detergent. Do not bleach, do not dry by machine, do not dry clean.

Glove	Hand	Circumference
X-Small	6	6" - 7" / 15-18 cm
Small	7	7" - 8" / 18-20 cm
Medium	8	8" - 9" / 20-23 cm
Large	9	9" - 10" / 23-28 cm
X-Large	10	10" - 11" / 28-33 cm
XX-Large	11	11" + / 33 + cm

TRUSTED PROTECTION

ISO 9001:2015





IMPACTO.CA

N. America 888 232 0031
Free phone UK 0800 0280 243
T: 613 966 0062 F: 613 966 0067
PO BOX 524, BELLEVILLE, ON K8N 5B2
impacto@impacto.ca

Distributed by,

