## **B** IMPACTO<sup>®</sup> WRIST SUPPORT

## Utilizing Visco-Elastic Polymer (VEP) Padding Protects the palm from Impact and Shock Wrist support protects from Repetitive Strain Injuries (RSI)

- Made of elastic polyester fabric to ensure optimum breathability and comfort
- Fingerless style leaves fingers open for tactile feedback and mobility
- Suede leather cover on the palm offers abrasion protection
- Detachable padded wrist support prevents over flexion and over extension to help prevent RSI
- For protection from impact and RSI in applications including office use, assembly, manufacturing and material handling
- **> Other Wrist Supports:**
- 700–10 suede leather padded
- 705-20 grain leather without padding

## Model 710-10



IMPACTO anti-impact gloves utilize Visco-Elastic Polymer (VEP) padding. VEP has excellent impact absorbing and shock dissipation qualities as well as absorption of higher levels of vibration. VEP is made from polyurethane with additional chemicals that increase its viscosity level. It is effective in redistributing and reducing local pressure on the area padded. VEP will not "compression set", making it extremely durable to stand to rigorous repetitive tasks. IMPACTO offers a large line of VEP padded gloves to suit customized needs.





In Conformance with Norms: EN 388:2003 Protective gloves against mechanical risks EN 420:2003+A1:2009 General requirements for gloves

Sizing: Measure the circumference of the hand at the base of fingers.

Washing: Hand wash in cold water and soft detergent. Do not bleach, do not dry by machine, do not dry clean.

| Glove   | Hand | Circumference        |
|---------|------|----------------------|
| Small   | 7    | 7" - 8" / 18-20 cm   |
| Medium  | 8    | 8" - 9" / 20-23 cm   |
| Large   | 9    | 9" - 10" / 23-28 cm  |
| X-Large | 10   | 10" - 11" / 28-33 cm |

ISO 9001:2015





IMPACTO.CA

N. America 888 232 0031 Free phone UK 0800 0280 243 T: 613 966 0062 F: 613 966 0067 PO BOX 524, BELLEVILLE, ON K8N 5B2 impacto@impacto.ca Distributed by,