

Impacto Protective Products Inc. is a Canadian manufacturer and distributor of specialized personal protective equipment. We offer a large variety of ergonomically designed products for specific job protection. Continual evolution of product design and materials to optimize comfort and safety; Our products are aimed to improve worker protection to suit a variety of task requirements.



Pearl Leather Anti-Vibration

Protects the palm, fingers, and thumb from impact and vibration. Soft pearl leather offers optimum dexterity and abrasion protection. ANSI/ISO 10819 Certified.

UOM: PR. Size: XS-XXL
#BG41340 (L) Grainger #6WPG1
#US41340 (L) Grainger #21NP06 *TAA Compliant*



BLACKMAXX Vibration Dampening

Made of poly cotton knit. Palm is coated with air pods to dampen vibration.

UOM: PR. Size: M-XL
BLACKMAXX Standard Grainger #5XKV7 (L)
BLACKMAXX ISO Grainger #786EL5 (L)
BLACKMAXX Blade Grainger #18F262 (L)



BG408 Mechanic's Air Glove

Maximum vibration and impact protection utilizing patented Air Glove technology in the palm, fingers and thumb. Mesh back, synthetic anti-slip palm. ANSI/ISO 10819 Certified.

UOM: PR. Size: XS-XXL
#BG40840 (L) Grainger #18L045



Impact Protection Glove Liner

Designed to be worn under work gloves for extra impact and vibration protection with VEP padding in palm. Four-way stretch polycotton fabric allows full mobility and excellent breathability.

UOM: PR. EA (left or right hand) Size: XS-XL
#501-00 (L, PR) Grainger #193K51



Suede Leather Tool Grip Glove

VEP padding in palm protects from impact and shock. Suede leather cover offers abrasion protection and glove durability. Fingerless style offers tactile feedback and mobility.

UOM: PR. EA (left or right hand) Size: S-XXL
#501-10 (L, PR) Grainger #33TV31



503-20 Leather Tool Grip Glove

VEP padding in the palm, edge, and back of hand provides excellent protection from impact and shock during automotive applications. Nylon fingerless fabric offers breathability, comfort and tactile feedback.

UOM: PR. EA (left or right hand) Size: S-XXL
#503-20 (L, PR) Grainger #18F266



High Visibility Anti-Vibration Glove

Designed for maximum comfort, dexterity, and safety. Utilizing Air Glove technology in the palm, fingers and thumb provide optimal vibration protection. ANSI/ISO 10819 Certified.


UOM: PR Size: XS-XXL
#BGHIVIS40 (L) Grainger #5XKU2

Anti-Vibration Grip Wrap Kit

Kit includes VEP sheet and self-adhesive silicone rubber tape.

Cut to fit tool handle and wrap for a comfortable gripping surface which dampens shock and vibration.

UOM: EA
#9064 - 13" x 15" x 3/16" Sheet + 6 Tape Rolls Grainger #5XKV3
#9065 - 13" x 5" x 3/16" Sheet + 2 Tape Rolls Grainger #5XKV4
#9066 - 6.5" x 5" x 3/16" Sheet + 1 Tape Roll Grainger #5XKV5
#9067 - 13" x 5" x 1/8" Sheet + 2 Tape Rolls Grainger #193J68
#9068 - 6.5" x 5" x 1/8" Sheet + 1 Tape Roll Grainger #193J69



Leather Anti-Vibration with Wrist Support

Soft pearl leather palm and fingers offers dexterity and abrasion protection. Air Glove technology in the palm and fingers protects from impact and shock. Padded elastic wrist support prevents over extension to prevent RSI. ANSI/ISO 10819 Certified.

UOM: PR. Size: XS-XXL
#BG47340 (L) Grainger #34D359



Mesh Anti-Impact Glove

Unique channel on the palm keeps pressure off the median nerve to alleviate symptoms of repetitive strain injuries. Half finger design for tactile feedback. Black cowhide leather offers abrasion protection.

UOM: PR. Size: S-XXXL
#ST861040 (L) Grainger #12Z317



AVPRO Anti-Vibration Glove

Cost effective vibration protection using patented foam technology in the palm, fingers, thumb and web area. Non-slip textured palm with adjustable wrist closure. Soft, pliable material for tactile feedback. ANSI/ISO 10819 Certified.

UOM: PR. Size: M-XL
#AV759040 (L) Grainger #56MD63



Half Finger Leather Air Glove

Durable Air Glove bladder in the palm protects from vibration while half finger style leaves fingers open for tactile feedback and mobility. Soft pearl leather offers dexterity and abrasion protection.

UOM: PR. Size: XS-XXL
#BG40140 (L) Grainger #18L049



Leather Tool Grip Glove with Web Padding

Contoured VEP 1/8" padding in the palm and thumb web area protect from impact and shock. Grain leather cover offers abrasion protection and durability. Fingerless style for tactile feedback.

UOM: PR. EA (left or right hand) Size: XS-XXL
#502-20 (L, PR) Grainger #34D415



Leather Anti-Vibration Glove

Durable cowhide leather offers the best durability in abrasive environments. Elasticized driver style cuff ensures secure fit and comfort. ANSI/ISO 10819 Certified.

UOM: PR Size: XS-XXL
#BG65040 (L) Grainger #18L052



Thermo Wrap Wrist Support

Designed to help alleviate and prevent injuries caused by repetitive tasks. Provides compression and support to offer natural pain relief and prevent further injury.

UOM: EA (ambidextrous), Size: XS/S, M, L/XL
#TS22610 Grainger #33TN36
#TS22630 Grainger #33TN37
#TS22650 Grainger #33TN38

DISTRIBUTED BY

GRAINGER®

TURBOTOE Steel Toe Cap Overshoe

Protects toe area from accidental impact, crushing and stubbing. Ideal for visitors and temporary workers in areas where steel toe cap protection is mandatory. Meets Impact and Compression Resistance 75 LB. Rating per ASTM F2412-18/F2413-17.

UOM: PR. Case Qty: 8, Size: XXXS-XXXL

Grainger #6PPN4 (XS) Grainger #6PPN5 (S)
 Grainger #6PPN6 (M) Grainger #6PPN7 (L)
 Grainger #6PPN8 (XL) Grainger #6PPN9(XXL)

TURBOTOE Composite Toe Cap Overshoe

Composite toe cap overshoe protects toe area from accidental impact, crushing and stubbing. Lightweight and non-conductive alternative. Meets Impact and Compression Resistance 75 LB. Rating per ASTM F2412-18/F2413-17.

UOM: PR. Case Qty: 8, Size: XS-XXL

Grainger #200EJ9 (S) Grainger #200EK0 (M)
 Grainger #200EK1 (L) Grainger #200EK2 (XL)

METGUARD Metatarsal Guard

Lightweight and extremely durable polycarbonate metatarsal protector. Designed to compliment steel toe cap footwear. Secured with existing laces or optional strap.

UOM: PR. Case Qty: 20, One Size

#METGUARD Grainger #2KTC9

Optional Attachment Strap: Grainger #4HCR7

METGUARDPRO Metatarsal Guard

Extended metatarsal protector to cover toe area. Lightweight and extremely durable.

UOM: PR. Case Qty: 20, One Size

#METGUARDPRO Grainger #798LD1

Optional Attachment Strap: Grainger #4HCR7

IMPACTOE Steel Toe Cap Overshoe

Fits tight over existing shoes. Made of molded injected seamless vulcanized rubber. 100% waterproof. Anti-slip sole, resistant to acid, oil and other substances. Will not stiffen or crack in cold conditions. Meets Impact and Compression Resistance 75 LB. Rating per ASTM F2412-18/F2413-17.

UOM: PR. Case Qty: 6, Size: XXS-XXL

Grainger #4HCT4 (W 8-8.5) Grainger #4HCT5 (W 9-9.5)
 Grainger #4HCT6 (W 10-11) Grainger #4HCT7 (M 10-11.5)
 Grainger #4HCT8 (M 12-12.5) Grainger #4HCT9 (M 13-14)

MIDCLEAT Ice Traction Cleats

Mid-sole anti-slip ice traction cleats. HISS and reflective adjustable strap. Replaceable cleats. Ideal for workers moving outside to inside frequently. Available in steel or brass cleats.

UOM: PR. One Size, Case Qty: 20

#MIDCLEAT-100-00 Grainger #55MM76 (Steel Cleats)

#MIDCLEAT-100B-00 Grainger #55MM77 (Brass Cleats)

STRIDE Ice Traction Cleat Overshoe

Full boot ice traction cleats designed to fit over steel toe footwear and large winter boots. Multi-directional traction plates bite into ice and snow. Available in steel or brass cleats.

UOM: PR. Case Qty: 10, Size: S-XL

#STRIDE20 Grainger #60RD76 (W 4-8)

#STRIDE30 Grainger #60RD77 (W 8.5-12 / M 7.5-10)

#STRIDE40 Grainger #60RD78 (M 10.5-13)

#STRIDE50 Grainger #60RD79 (M 13.5-16)

SASQUATCH Ice Traction Cleat Overshoe

Sandal style overshoe ice traction cleats provide exceptional grip and stability. Durable sole with heat-treated hexagon cleats provides six points of contact with every step.

UOM: PR. Case Qty: 3, Size: S-XL

#SASQ20 Grainger #798LC7 (W 8.5-9.5)

#SASQ30 Grainger #798LC8 (W 10-12)

#SASQ40 Grainger #798LC9 (M 11-12.5)

#SASQ50 Grainger #798LD0 (M 13-14.5)

TOES2GO Adjustable Steel Toe Cap Overshoe

Adjustable hook and look closure strap fits range of sizes per pair. Can be worn over most shoes and boots with low profile heel. Meets Impact and Compression Resistance 75 LB. Rating per ASTM F2412-18/F2413-17.

UOM: PR. Case Qty: 8, Size: S-L

#T2GUS (S) Grainger #53PP09

#T2GUM (M) Grainger #53PP08

#T2GUL (L) Grainger #53PP07

TOES2GO Adjustable Composite Toe Cap Overshoe

Lightweight and non-conductive composite toe cap overshoe with adjustable hook and look closure strap. Meets Impact and Compression Resistance 75 LB. Rating per ASTM F2412-18/F2413-17.

UOM: PR. Case Qty: 8, Size: S-L

#T2GCOMPS (S) Grainger #200EJ6

#T2GCOPM (M) Grainger #200EJ7

#T2GCOMPL (L) Grainger #200EJ8

ARMORSTEP Puncture Resistant Insole

Molded insole with stainless steel plate provides protection against puncture wounds from sharp objects. Meets Puncture Resistance of 270 LB. Rating per ASTM F2412-18/F2413-17

UOM: PR. Case Qty: 20, Size A-E

Grainger #819MH5 (W 7-8) Grainger #819MH6 (W 9-10)

Grainger #819MH7 (M 9-10) Grainger #819MH8 (M 11-12)

Grainger #819MH9 (M 13-15)

MEM Memory Foam Insole

Anti-fatigue memory foam insoles. Designed to provide outstanding comfort, shock absorption and support. Ideal for work shoes or boots. Also available with conductive threads for use with ESD footwear (#MEMESD).

UOM: PR. Case Qty: 20

Grainger #25AX73 (W 5-7) Grainger #25AX74 (W 8-9)

Grainger #25AX75 (W 10-11) Grainger #25AX76 (M 10-11)

Grainger #25AX77 (M 12-13) Grainger #25AX78 (M 14-15)

ASMOLD Insole

Anti-fatigue insoles provides heel stability and arch support for all day protection. Ideal for use with safety boots and shoes.

UOM: PR. Case Qty: 30, Size: A-H

Grainger #4HCP4 (W 5-6.5) Grainger #4HCP5 (W 7-8.5)

Grainger #4HCP6 (W 9-10.5) Grainger #4HCP7 (M 9-10.5)

Grainger #4HCP8 (M 11-12.5) Grainger #4HCP9 (M 13-14)

ASFLAT Insole

Anti-fatigue insoles for low cut and dress footwear. Can be worn over existing insoles. Made with open cell foam.

UOM: PR Case Qty: 60, Size: A-H

Grainger #4HCR1 (W 5-6.5) Grainger #4HCR2 (W 7-8.5)

Grainger #4HCR3 (W 9-10.5) Grainger #4HCR4 (M 9-10.5)

Grainger #4HCR5 (M 11-12.5) Grainger #4HCR6 (M 13-14)

ERINWRK Insole

Anti-fatigue insoles for work or play. Molded arch and heel with gel inserts absorbs shock and relieves pain.

UOM: PR. Case Qty: 20 Size: AA-H

Grainger #21NN61 (W 4-5.5) Grainger #21NN60 (W 6-7)

Grainger #21NN62 (W 7.5-8.5) Grainger #21NN63 (W 9-10)

Grainger #21NN64 (M 8-9) Grainger #21NN65 (M 9.5-10.5)

Grainger #21NN66 (M 11-12) Grainger #21NN67 (M 12.5-13.5)

ERGOMATE Anti-Fatigue Overshoe

Anti-fatigue overshoe suitable for most work places and industries. Dual layer anti-slip sole.

UOM: PR. Case Qty: 12, Size: XS-XL

Grainger #4XTX6 (W 4-5) Grainger #4XTX7 (W 6-7)

Grainger #4XTX8 (W 8-10) Grainger #4XTX9 (M 10-12)

Grainger #4XTY1 (M 13-15)





865-00 Gel Comfort Knee Pads

All-terrain protection. Gel filled padding provides maximum comfort and protection when working on your knees for long periods. Co-polymer thermoplastic rubber prevents marring and scratching on delicate surfaces.

UOM: PR, Case Qty: 18
Grainger #3LHT5



868-00 GELITE Hard Shell Knee Pads

Solid inject gel insert with sewn on outer cover. Smooth, rounded surface ideal for applications that require easy sliding. Non-marring prevents scuffing or marking delicate surfaces. Soft fabric lining wicks away moisture and provides comfortable wear. Double elastic straps.

UOM: PR, Case Qty: 24
Grainger #48LY71



864-00 Gel Comfort Knee Pads

Short all-terrain protection. Lightweight gel padding provides comfortable knee cushioning. Elevated face improves stability and traction. Absorbs impact and helps support the knees when kneeling for long periods. Double elastic straps.

UOM: PR, Case Qty: 24
Grainger #21NN31



777-00 Gel Comfort Knee/Shin Pads

Protect the knee, shin, and ankle when working on knees for extended lengths of time. Padded with gel and foam for maximum comfort. Non-marring cover prevents scuffing or marking delicate surfaces.

UOM: PR, Case Qty: 12
Grainger #8ZC57



867-00 Gel Comfort Knee Pads

Straps fasten above and below the knee to eliminate discomfort behind the knee. Gel padding provides superior comfort and knee support. Articulating feet grip the surface providing excellent stability.

UOM: PR, Case Qty: 15
Grainger #48LY70



879-00 Fire Retardant Gel Hard Shell

100% cotton, flame retardant fabric protects when working around flame or sparks. Firm foam padding with gel centre. Breathable CoolMax Lining.

UOM: PR, Case Qty: 20
Grainger #21NN33



890-00 Knee Saver

Strain reliever for kneeling or crouching for long periods of time. Limits the range of knee flexion, relieving stress on the joints, tendons and cartilage. Molded polyurethane foam offers comfortable support.

UOM: PR, Case Qty: 16
Grainger #48LY69



Anti-Vibration Gel Seat Cushion

Layered open-cell foam and gel provide excellent protection when sitting for long periods of time. Ideal for operating machinery to protect against whole body vibration.

UOM: EA
#907GEL Grainger #12Z329



Anti-Fatigue Kneeling Mats

1" closed-cell foam kneeling mat. Oil and water resistant. Silicone free and non-conductive. Self-extinguishing, meets 49 CFR 571.302 Flammability Standard.

UOM: EA
#MAT5000 4"x6" Case Qty: 14 Grainger #21NN35
#MAT5040 8"x16" Case Qty: 36 Grainger #21NN37
#MAT5050 14"x21" Case Qty: 15 Grainger #21NN38



Anti Fatigue Standing Mats

1" closed-cell foam standing mat with beveled edge. Oil and water resistant. Silicone free and non-conductive. Self-extinguishing, meets 49 CFR 571.302 Flammability Standard.

UOM: EA, Case Qty: 6
#MAT5020 16"x28" Grainger #193K39
#MAT5030 18"x36" Grainger #193K40



825-00 Hard Shell Knee Pads

Hard shell with co-polymer foam padding. Flat, ribbed surface provides stability and helps prevent slipping. Moisture wicking. Double elastic straps.

UOM: PR, Case Qty: 20
Grainger #21NN28



840-00 Foam Knee Pads

Lightweight and economical. Form fitting with co-polymer padding. Moisture wicking. Ribbed surface to help prevent slipping. Single strap.

UOM: PR, Case Qty: 20
Grainger #21NN29



895-00 TurboKnee Hinged Knee Pads

Molded foam knee pad with hard outer shell. Hinged design extends protection and keeps dirt and debris away from the knee. Dual strapping eliminates discomfort behind the knee.


UOM: PR, Case Qty: 24
Grainger #54XU83



Custom Mats

Available with various covers and foam densities.

UOM: EA
#970-40 15"x25" with vinyl water resistant cover Grainger #21NN42
#970-80 15"x24" with blue nylon cover Grainger #21NN41
#979-11 12"x24" with fire retardant cover Grainger #21NN43



Foam Kneeling Pad 13" x 14.5"

Dense inner core material with textured anti-slip surface. Water resistant and lightweight kneeling mat with carrying handle.

UOM: EA, Case Qty: 35
#CUD818 Grainger #38AN66

DISTRIBUTED BY

GRAINGER®

