Utilizing Visco-Elastic Polymer (VEP) Padding "Ergotech" Glove Protects from Impact and Shock

- > Made of nylon lycra spandex fabric blend ensures optimum breathability and comfort
- > VEP 1/8" dimple padding protects the palm, thumb, fingers and thumb web area
- > Full finger style ensures maximum protection
- > Designed to be worn under work glove
- > Great for protection from electric, manual and power tools in applications including construction, assembly, manufacturing, maintenance and warehousing
- > Variations:

ER605CP - in polycotton without thumb web pad

ER501 - half finger style

ER502 - half finger with black suede leather



Model FR605CP



IMPACTO anti-impact gloves utilize Visco-Elastic Polymer (VEP) padding. VEP has excellent impact absorbing and shock dissipation qualities as well as absorption of higher levels of vibration. VEP is made from polyurethane with additional chemicals that increase its viscosity level. It is effective in redistributing and reducing local pressure on the area padded. VEP will not "compression set", making it extremely durable to stand to rigorous repetitive tasks. IMPACTO offers a large line of VEP padded gloves to suit customized needs.



TRUSTED PROTECTION

EN 388:2003 Protective gloves against mechanical risks

EN 420:2003+A1:2009 General requirements for gloves Sizing: Measure the circumference of the hand at the base of fingers.

Washing: Hand wash in cold water and soft detergent. Do not bleach, do not dry by machine, do not dry clean.

Glove	Hand	Circumference
Small	7	7" - 8" / 18-20 cm
Medium	8	8" - 9" / 20-23 cm
Large	9	9" - 10" / 23-28 cm
X-Large	10	10" - 11" / 28-33 cm

ISO 9001:2015

IMPACTO.CA

N. America 888 232 0031 Free phone UK 0800 0280 243 T: 613 966 0062 F: 613 966 0067 PO BOX 524, BELLEVILLE, ON K8N 5B2 impacto@impacto.ca

Distributed by.

10/20