## 12 SE

## IMPACTO SOFT MALLETS

- > Soft head made of 100% Visco-Elastic Polymer
- > Minimizes marring, scratching and denting delicate surfaces
- Its perfect memory ensures a return to original shape even after repeated compressions
- > Absorbs and dissipates hand jarring and harmful impact
- Ideal for engineering design applications requiring shock absorption, vibration isolation and acoustical damping
- Used in assembly, automotive, furniture, repair and metal facilities
- Can be used on all types of surfaces including hard and soft metals, glass or wood or any surfaces requiring a dead blow hammer or rubber mallet
- > Durometer: 67 73 Shore 00





#300-00 Head is 2.5"w x 2.3"d x 4"w, plastic ergonomic handle 11.5" long, durometer 67-73 Shore 00



#305-00 Head 2.75"w x 1.75"h, wood straight handle 9" long, durometer 67-73 Shore 00



#306-00 Head 2.75"w x 1.75"h, plastic ergonomic handle 11.5" long, durometer 67-73 Shore 00



#ERSM
Blue Sorbothane® VEP Head
2.5"w x 2.3"d x 4"h, straight
wooden handle 10.2" long, 12
oz weight 70±5 Shore 00

Visco-elastic polymer VEP is custom molded and specified by engineers worldwide for its superior damping and isolation properties and scientifically proven to be the finest cushioning material available. In many applications and laboratory tests Sorbothane has achieved shock absorption levels of up to 94.7%. Unprecedented absorption levels are possible because VEP maintains stability and damping over a broad temperature range, enabling it to isolate damaging vibrations and impact shock in varied conditions. Its near faultless memory ensures a return to original shape, even after repeated compressions, making VEP ideal for a variety of engineering design applications requiring shock absorption, vibration isolation and acoustical damping.

TRUSTED PROTECTION ISO 9001:2015



## IMPACTO.CA

N. America 888 232 0031
Free phone UK 0800 0280 243
T: 613 966 0062 F: 613 966 0067
PO BOX 524, BELLEVILLE, ON K8N 582
impacto@impacto.ca

Distributed by,